

Sirocco Petrol Compressor

Prysmian Part Number: XBFSC00002



The Sirocco Compressor is designed to deliver clean dry air for installation of optical fibre using the blown fibre technique. The Sirocco blown fibre compressor is a portable, petrol engine driven rotary vane compressor unit. Producing 120 l/min of pulse free treated compressed air at a working pressure of 10 bar, it provides the ideal source for field installation of fibre optic cable.

An extremely reliable Honda GX240QX OHV Petrol Engine provides power for the compressor.

Features and Benefits

The unit incorporates a 12Vdc air cooled aftercooler reducing the compressed air temperature to within 2°C of ambient. A 3-stage filtration system provides technically oil-free air.

The unit is supplied with a 24Vdc-outlet socket which provides the power supply to the blowing head.

Other compressor's available on request.

Product Details

| Model | Length (mm) | Width (mm) | Height (mm) | Output (l/min) | Pressure (bar) | Weight (kg) |
|-------|-------------|------------|-------------|----------------|----------------|-------------|
| 6A | 900 | 500 | 750 | 200 | 10 | 85 |

Prysmian Telecom Cables & Systems UK Ltd, Chickenhall Lane, Bishopstoke, Hants SO50 6YU, UK

Technical Enquiries +44 (0) 2380 608760 Fax Number +44 (0) 2380 608769

© PRYSMIAN 2005. All Rights Reserved.

The information contained within this document must not be copied, reprinted or reproduced in any form, either wholly or in part, without the written consent of Prysmian. The information is believed correct at the time of issue. Prysmian reserves the right to amend this specification without notice. This specification is not contractually valid unless specifically authorised by Prysmian.

Issue 01, October 2005
Ref: SR011